
IXSTEEL - BA10XE - ELECTRIC Towel warmer composed of horizontal fusion welded elements in 14 mm diameter steel with 34 mm diam. manifolds





ELECTRIC VERSION WITH EDGE CAP (Only available for the non EEC market and/or connected to a

home automation system with characteristics complying with ECODesign regulations)




ELECTRIC VERSION WITH ECODesign THERMOSTAT

+ 8,4

Connection to the electricity mains with Standard Edge Cap Connection to the electricity mains with DESIGN edge cap painted in the same colour (supplied with an extra charge)

7,5










 $\begin{array}{c} & & & \\ & & &$


ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS






Connection to the electricity mains


ECODesign Room Thermostat








Wireless connection with Standard Edge Cap





ECODesign digital wireless chronothermostat + Receiver Wireless connection with DESIGN edge cap painted in the same colour (supplied with an extra charge)

Receiver



Digital Chronothermostat (code ZRF007)

Product code BA10XEW#120050U2ZRF007STSPA

BA10XEW#120050	Article code specified in the price table
U2	Heating element code
ZRF007	Thermostat code
ST	Standard support code*
SPA	Finish code
* Special supports N	OT available

ELECTRIC VERSION WITH EDGE CAP

Only available for the extra EEC market and/or connected to a home automation system complying with ECODesign regulations

		Colour code		Code			Electrical	Price
Model		of the edge cap		DESIGN*	н	L	Resistance	Price Inox(€)
	White	Anthracite Grey	Chrome	Edge Cap	(cm)	(cm)	(Watts)	
BA10XEL#080040	U1	V1	Z1	Т6	80,5	40,0	300 W	
BA10XEL#080050	U1	V1	Z1	Т6	80,5	50,0	300 W	
BA10XEL#080060	U2	V2	Z2	Τ8	80,5	60,0	600 W	
BA10XEL#120040	U2	V2	Z2	Т8	119,5	40,0	600 W	
BA10XEL#120050	U2	V2	Z2	Т8	119,5	50,0	600 W	
BA10XEL#120060	U3	V3	Z3	Т9	119,5	60,0	900 W	
BA10XEL#150040	U2	V2	Z2	Т8	149,5	40,0	600 W	
BA10XEL#150050	U3	V3	Z3	Т9	149,5	50,0	900 W	
BA10XEL#150060	U3	V3	Z3	Т9	149,5	60,0	900 W	
BA10XEL#180040	U3	V3	Z3	Т9	181,0	40,0	900 W	
BA10XEL#180050	U3	V3	Z3	Т9	181,0	50,0	900 W	
BA10XEL#180060	U4	V4	Z4	TO	181,0	60,0	1200 W	

* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

ELECTRIC VERSION WITH ECODesign ROOM THERMOSTAT

		Т	hermostat cod	e				Electrical	Price
Model		ROOM*		RADIA	ATOR**	н	L	Resistance	Inox(€)
	White	Chrome	Matt Black	White	Chrome	(cm)	(cm)	(Watts)	lilox(€)
BA10XET#080040	F5	F7	JO	N1	N5	80,5	40,0	300 W	
BA10XET#080050	F5	F7	JO	N1	N5	80,5	50,0	300 W	
BA10XET#080060	G5	G7	JQ	N2	N6	80,5	60,0	600 W	
BA10XET#120040	G5	G7	JQ	N2	N6	119,5	40,0	600 W	
BA10XET#120050	G5	G7	JQ	N2	N6	119,5	50,0	600 W	
BA10XET#120060	H5	H7	JR	N3	N7	119,5	60,0	900 W	
BA10XET#150040	G5	G7	JQ	N2	N6	149,5	40,0	600 W	
BA10XET#150050	H5	H7	JR	N3	N7	149,5	50,0	900 W	
BA10XET#150060	H5	H7	JR	N3	N7	149,5	60,0	900 W	
BA10XET#180040	H5	H7	JR	N3	N7	181,0	40,0	900 W	
BA10XET#180050	H5	H7	JR	N3	N7	181,0	50,0	900 W	
BA10XET#180060	15	17	JS	N4	N8	181,0	60,0	1200 W	

* In addition to the White finish, the ROOM thermostat is available in the CHROME finish and in the new MATT BLACK finish with an extra charge of

** The RADIATOR thermostat is not ECOdesign

ELECTRIC VERSION WITH WIRELESS ECODesign CONTROLS

The electric version with WIRELESS control includes the digital Chronothermostat Kit

		Colour code		Code	Adjustment		[Electrical	Price
Model		of the edge cap		DESIGN*	code WIRELESS	н	L	Resistance	Inox(€)
	White	Anthracite Grey	Chrome	Edge Cap	THERMOSTAT	(cm)	(cm)	(Watts)	110/(€)
BA10XEW#080040	U1	V1	Z1	T6	ZRF007	80,5	40,0	300 W	
BA10XEW#080050	U1	V1	Z1	T6	ZRF007	80,5	50,0	300 W	
BA10XEW#080060	U2	V2	Z2	Τ8	ZRF007	80,5	60,0	600 W	
BA10XEW#120040	U2	V2	Z2	Τ8	ZRF007	119,5	40,0	600 W	
BA10XEW#120050	U2	V2	Z2	Τ8	ZRF007	119,5	50,0	600 W	
BA10XEW#120060	U3	V3	Z3	Т9	ZRF007	119,5	60,0	900 W	
BA10XEW#150040	U2	V2	Z2	Τ8	ZRF007	149,5	40,0	600 W	
BA10XEW#150050	U3	V3	Z3	Т9	ZRF007	149,5	50,0	900 W	
BA10XEW#150060	U3	V3	Z3	Т9	ZRF007	149,5	60,0	900 W	
BA10XEW#180040	U3	V3	Z3	Т9	ZRF007	181,0	40,0	900 W	
BA10XEW#180050	U3	V3	Z3	Т9	ZRF007	181,0	50,0	900 W	
BA10XEW#180060	U4	V4	Z4	TO	ZRF007	181,0	60,0	1200 W	


* The DESIGN EDGE CAP is produced in painted metal in the same Colour/Finish as the towel rail and it does not expose the heating element connection cable, this end piece is supplied upon request with an additional charge of

IXSTEEL - BA10X - HYDRAULIC Hydraulic heated towel rail made of stainless steel.

EN1442 HW



STANDARD HYDRAULIC VERSION (Connectors 0B1)



cod. ST) STANDARD WALL support



STANDARD HYDRAULIC VERSION (Connectors B2R)





8,4 cm


6,0 cm

MS2 MD2

Single pipe

Custom-made connectors

Available upon request WITH an additional charge of



Standard convertible valves - Z1TMNR -


	Code	Description	Finishes	Price (€)
, ma , ma	Z1TCXNR#ANR12	Valve (that can be fitted with thermostat) and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stain- less Steel	
	Z1TMNR#ANR12SPA	Manual valve and lockshield - STAINLESS STEEL COPPER ANGLE or MULTILAYER	Brushed Stain- less Steel	
Lo- S. Lo-	2 x Z1RACX#M03SPA	STAINLESS STEEL pipe unions for Multi-layer MM24x19x12 - 16x2	Brushed	


CONNECTORS The heated towel rails are supplied as standard with connectors "0B1"

If different connectors are required, strictly indicate this in the order. IMPORTANT: the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.

Special connectors

Provided upon request WITH an additional charge of





I=H-3,8 cm

I=L+13,8 cm


Connectors on request

Available upon request AT NO additional charge.

I=H-3,8 cm

BASICS BATHROOM hydraulic collection

Price for Radiator/Towel warmer in Brushed Stainless Steel and standard connections - VAT and transport excluded.



BA10X#... Hydraulic

				Heat outp	ut in Watts	Price
Model	Н	L	Interaxis	STAINLESS S	TEEL version	Inox(€
	(cm)	(cm)	(cm)	ΔT. 50°C	∆T. 30°C	11UX(t
						IN STOC
BA10X#080040	80,5	40,0	36,6	297	155	
BA10X#080050	80,5	50,0	46,6	398	208	
BA10X#080060	80,5	60,0	56,6	500	262	
BA10X#120040	119,5	40,0	36,6	434	225	
BA10X#120050	119,5	50,0	46,6	552	289	
BA10X#120060	119,5	60,0	56,6	670	353	
BA10X#150040	149,5	40,0	36,6	546	282	
BA10X#150050	149,5	50,0	46,6	678	354	
BA10X#150060	149,5	60,0	56,6	811	429	
BA10X#180040	181,0	40,0	36,6	665	343	
BA10X#180050	181,0	50,0	46,6	829	432	
BA10X#180060	181,0	60,0	56,6	993	523	

BA10X#... hydraulic with rear connectors B2R

				Heat outp	ut in Watts	Price
Model	н	L	Interaxis	STAINLESS S	TEEL version	Inox(€)
	(cm)	(cm)	(cm)	ΔT. 50°C	ΔT. 30°C	1110X(€)
BA10X#080040B2R	80,5	40,0	36,6	297	155	
BA10X#080050B2R	80,5	50,0	46,6	398	208	
BA10X#080060B2R	80,5	60,0	56,6	500	262	
BA10X#120040B2R	119,5	40,0	36,6	434	225	
BA10X#120050B2R	119,5	50,0	46,6	552	289	
BA10X#120060B2R	119,5	60,0	56,6	670	353	
BA10X#150040B2R	149,5	40,0	36,6	546	282	
BA10X#150050B2R	149,5	50,0	46,6	678	354	
BA10X#150060B2R	149,5	60,0	56,6	811	429	
BA10X#180040B2R	181,0	40,0	36,6	665	343	
BA10X#180050B2R	181,0	50,0	46,6	829	432	
BA10X#180060B2R	181,0	60,0	56,6	993	523	

Remote valve assembly – GVR For more information on the choice of valves, see p. 310

Code
Description
Finishes
Price (€)

GVRG#1...
RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection
Nickel
Brushed
Image: Second connection
Second connection
Second connection
Nickel
Brushed
Image: Second connection
Second c

SIZES AVAILABLE TO ORDER:

All the sizes in WIDTH every 10 cm starting from 70 cm up to 100 cm can be PROVIDED ON DEMAND and the price is calculated upon request.

IN THE PACK


The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.

IXSTEEL - BA10X I5- HYDRAULIC Hydraulic heated towel rail made of stainless steel.





STANDARD HYDRAULIC VERSION (Connectors 0i5)




Standard convertible valves - Z1TMNR -For more information on the choice of valves, see p. 310

Code
Description
Finishes
Price (€)

Z1TCXNR#ANR12...
Valve (that can be fitted with thermostat) and lockshield -STAINLESS STEEL COPPER ANGLE or MULTILAYER
Brushed Stainless Steel
Image: Steel
I

BASICS BATHROOM hydraulic collection

Price for Radiator/Towel warmer in Brushed Stainless Steel and standard connections - VAT and transport excluded.



BA10XI5#... hydraulic

				Heat outp	ut in Watts	
Model	н	L	Interaxis	STAINLESS S	TEEL version	
	(cm)	(cm)	(cm)	ΔT. 50°C	∆T. 30°C	
				_		
BA10XI5#080040	84,5	40,0	5,0	297	155	
BA10XI5#080050	84,5	50,0	5,0	398	208	
BA10XI5#080060	84,5	60,0	5,0	500	262	
BA10XI5#120040	123,5	40,0	5,0	434	225	
BA10XI5#120050	123,5	50,0	5,0	552	289	
BA10XI5#120060	123,5	60,0	5,0	670	353	
BA10XI5#150040	154,5	40,0	5,0	546	282	
BA10XI5#150050	154,5	50,0	5,0	678	354	
BA10XI5#150060	154,5	60,0	5,0	811	429	
BA10XI5#180040	185,0	40,0	5,0	665	343	
BA10XI5#180050	185,0	50,0	5,0	829	432	
BA10XI5#180060	185,0	60,0	5,0	993	523	

IN THE PACK

The heated towel rails are supplied with their respective standard supports (code ST), that include the wall fixing shelves, pressure anchors and the respective vent valve, all included inside the pack and included in the price.