




**STANDARD HYDRAULIC VERSION**  
(Connectors OC1)




**CONNECTORS** The heated towel rails are supplied as standard with connectors "OC1"

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for radiators connected to the same system must all have the same configuration, otherwise operating problems may occur. In the OB2 configuration, two chrome plugs with a diameter of 1/8" are present at the head of the collectors.


**Special connectors**

Provided upon request WITH an additional charge of




**Connectors on request**

available upon request AT NO additional charge.



**Custom-made connectors**

Available upon request WITH an additional charge of



Specify "i" and "d"  
i min = 5cm d min = 2cm

Product code **JV#2000140C1ST9010**

- JV#200014 Article code specified in the price table
- OC1 Connector code see technical datasheet
- ST Standard support code\*
- 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
- \* for special supports see BRACKET SUPPORTS page


**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

| Model     | H<br>(cm) | L<br>(cm) | Heat output in Watts |          |                 |          | Price<br>Standard White<br>Cat. C0 (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) | Price<br>Chrome<br>G0 (€) |
|-----------|-----------|-----------|----------------------|----------|-----------------|----------|--|--------------------------------|----------------------------------|---------------------------|
|           |           |           | COLOURED version     |          | CHROMED version |          |  |                                |                                  |                           |
|           |           |           | ΔT. 50°C             | ΔT. 30°C | ΔT. 50°C        | ΔT. 30°C |  |                                |                                  |                           |
| JV#150010 | 148,8     | 25,0      | 450                  | 234      | 414             | 216      |  |                                |                                  |                           |
| JV#150012 | 148,8     | 29,8      | 540                  | 281      | 497             | 259      |  |                                |                                  |                           |
| JV#150014 | 148,8     | 34,6      | 630                  | 328      | 580             | 302      |  |                                |                                  |                           |
| JV#150016 | 148,8     | 39,4      | 720                  | 375      | 662             | 345      |  |                                |                                  |                           |
| JV#150018 | 148,8     | 44,2      | 810                  | 422      | 745             | 388      |  |                                |                                  |                           |
| JV#150020 | 148,8     | 49,0      | 900                  | 469      | 828             | 431      |  |                                |                                  |                           |
| JV#150022 | 148,8     | 53,8      | 990                  | 516      | 911             | 475      |  |                                |                                  |                           |
| JV#150024 | 148,8     | 58,6      | 1080                 | 563      | 994             | 518      |  |                                |                                  |                           |
| JV#150026 | 148,8     | 63,4      | 1170                 | 610      | 1076            | 561      |  |                                |                                  |                           |
| JV#150028 | 148,8     | 68,2      | 1260                 | 656      | 1159            | 604      |  |                                |                                  |                           |
| JV#150030 | 148,8     | 73,0      | 1350                 | 703      | 1242            | 647      |  |                                |                                  |                           |
| JV#170010 | 168,6     | 25,0      | 506                  | 264      | 466             | 243      |  |                                |                                  |                           |
| JV#170012 | 168,6     | 29,8      | 607                  | 316      | 559             | 291      |  |                                |                                  |                           |
| JV#170014 | 168,6     | 34,6      | 708                  | 369      | 652             | 340      |  |                                |                                  |                           |
| JV#170016 | 168,6     | 39,4      | 810                  | 422      | 745             | 388      |  |                                |                                  |                           |
| JV#170018 | 168,6     | 44,2      | 911                  | 475      | 838             | 437      |  |                                |                                  |                           |
| JV#170020 | 168,6     | 49,0      | 1012                 | 527      | 931             | 485      |  |                                |                                  |                           |
| JV#170022 | 168,6     | 53,8      | 1113                 | 580      | 1024            | 534      |  |                                |                                  |                           |
| JV#170024 | 168,6     | 58,6      | 1214                 | 632      | 1117            | 582      |  |                                |                                  |                           |
| JV#170026 | 168,6     | 63,4      | 1316                 | 686      | 1210            | 630      |  |                                |                                  |                           |
| JV#170028 | 168,6     | 68,2      | 1417                 | 738      | 1303            | 679      |  |                                |                                  |                           |
| JV#170030 | 168,6     | 73,0      | 1518                 | 791      | 1397            | 728      |  |                                |                                  |                           |
| JV#200010 | 198,5     | 25,0      | 589                  | 307      | 542             | 282      |  |                                |                                  |                           |
| JV#200012 | 198,5     | 29,8      | 707                  | 368      | 650             | 339      |  |                                |                                  |                           |
| JV#200014 | 198,5     | 34,6      | 825                  | 430      | 759             | 395      |  |                                |                                  |                           |
| JV#200016 | 198,5     | 39,4      | 942                  | 491      | 867             | 452      |  |                                |                                  |                           |
| JV#200018 | 198,5     | 44,2      | 1060                 | 552      | 975             | 508      |  |                                |                                  |                           |
| JV#200020 | 198,5     | 49,0      | 1178                 | 614      | 1084            | 565      |  |                                |                                  |                           |
| JV#200022 | 198,5     | 53,8      | 1296                 | 675      | 1192            | 621      |  |                                |                                  |                           |
| JV#200024 | 198,5     | 58,6      | 1414                 | 737      | 1301            | 678      |  |                                |                                  |                           |
| JV#200026 | 198,5     | 63,4      | 1531                 | 798      | 1409            | 734      |  |                                |                                  |                           |
| JV#200028 | 198,5     | 68,2      | 1649                 | 859      | 1517            | 790      |  |                                |                                  |                           |
| JV#200030 | 198,5     | 73,0      | 1767                 | 921      | 1626            | 847      |  |                                |                                  |                           |

**Standard convertible valves – Z1TLNR**

For more information on the choice of valves, see p. 310


|  | Code            | Description   | Finishes                          | *Price (€) |
|---|-----------------|---|-----------------------------------|------------|
|   | Z1TLNR#ANR12... | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                     | Standard White<br>Colour C1/C2/C3 |            |
|   | Z1KITRAC#001    | 6-part connector KIT:<br>- 2x Z1RAC#R12CRO<br>- 2x Z1RAC#R14CRO<br>- 2x Z1AC#M03CRO                       | Glossy Chrome                     |            |
|   | Z1KITRAC#002    | 8-part connector KIT:<br>- 2x Z1RAC#R12CRO<br>- 2x Z1RAC#R14CRO<br>- 2x Z1RAC#M03CRO<br>- 2x Z1RAC#M01CRO | Glossy Chrome                     |            |

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.



**SINGLE COLUMN VERSION**  
(Connectors OB1)

Supplied unless otherwise specified in the order.




**CONNECTORS** The radiators are supplied as standard with OB1 connections

If different connectors are required, strictly indicate this in the order. **IMPORTANT:** the connectors for heated towel rails and radiators connected to the same system must all have the same configuration, otherwise operating problems may occur.


**Special connectors**

Provided upon request **WITH** an additional charge of




**Connectors on request**

Available upon request **AT NO** additional charge.



**Custom-made connectors**

Available upon request **WITH** an additional charge of



Product code **JO#2000140B1ST9010**

- JO#200014 Article code specified in the price table
- OB1 Connector code see technical datasheet
- ST Standard support code\*
- 9010 Colour/finish code specified in the Official TUBES COLOUR CHART
- \* for special supports see BRACKET SUPPORTS page


**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

| Model     | L<br>(cm) | H<br>(cm) | Heat output in Watts |          |                 |          | Price<br>Standard White<br>Cat. C0 (€) | Price<br>Category<br>C1/C2 (€) | Price<br>Category<br>Cat. C3 (€) | Price<br>Chrome<br>G0 (€) |
|-----------|-----------|-----------|----------------------|----------|-----------------|----------|--|--------------------------------|----------------------------------|---------------------------|
|           |           |           | COLOURED version     |          | CHROMED version |          |  |                                |                                  |                           |
|           |           |           | ΔT. 50°C             | ΔT. 30°C | ΔT. 50°C        | ΔT. 30°C |  |                                |                                  |                           |
| JO#150010 | 148,8     | 25,0      | 475                  | 247      | 452             | 235      |  |                                |                                  |                           |
| JO#150012 | 148,8     | 29,8      | 595                  | 310      | 547             | 285      |  |                                |                                  |                           |
| JO#150014 | 148,8     | 34,6      | 704                  | 367      | 647             | 337      |  |                                |                                  |                           |
| JO#150016 | 148,8     | 39,4      | 804                  | 419      | 748             | 390      |  |                                |                                  |                           |
| JO#150018 | 148,8     | 44,2      | 920                  | 479      | 846             | 441      |  |                                |                                  |                           |
| JO#150020 | 148,8     | 49,0      | 1022                 | 532      | 943             | 491      |  |                                |                                  |                           |
| JO#150022 | 148,8     | 53,8      | 1124                 | 586      | 1041            | 542      |  |                                |                                  |                           |
| JO#150024 | 148,8     | 58,6      | 1226                 | 639      | 1136            | 592      |  |                                |                                  |                           |
| JO#150026 | 148,8     | 63,4      | 1329                 | 692      | 1229            | 640      |  |                                |                                  |                           |
| JO#150028 | 148,8     | 68,2      | 1431                 | 746      | 1322            | 689      |  |                                |                                  |                           |
| JO#150030 | 148,8     | 73,0      | 1538                 | 801      | 1507            | 785      |  |                                |                                  |                           |
| JO#170010 | 168,6     | 25,0      | 540                  | 281      | 512             | 267      |  |                                |                                  |                           |
| JO#170012 | 168,6     | 29,8      | 675                  | 352      | 621             | 324      |  |                                |                                  |                           |
| JO#170014 | 168,6     | 34,6      | 797                  | 415      | 734             | 382      |  |                                |                                  |                           |
| JO#170016 | 168,6     | 39,4      | 922                  | 480      | 847             | 441      |  |                                |                                  |                           |
| JO#170018 | 168,6     | 44,2      | 1038                 | 541      | 959             | 500      |  |                                |                                  |                           |
| JO#170020 | 168,6     | 49,0      | 1163                 | 606      | 1070            | 557      |  |                                |                                  |                           |
| JO#170022 | 168,6     | 53,8      | 1279                 | 666      | 1180            | 615      |  |                                |                                  |                           |
| JO#170024 | 168,6     | 58,6      | 1396                 | 727      | 1287            | 671      |  |                                |                                  |                           |
| JO#170026 | 168,6     | 63,4      | 1512                 | 788      | 1393            | 726      |  |                                |                                  |                           |
| JO#170028 | 168,6     | 68,2      | 1547                 | 806      | 1499            | 781      |  |                                |                                  |                           |
| JO#170030 | 168,6     | 73,0      | 1739                 | 906      | 1695            | 883      |  |                                |                                  |                           |
| JO#200010 | 198,5     | 25,0      | 651                  | 339      | 602             | 314      |  |                                |                                  |                           |
| JO#200012 | 198,5     | 29,8      | 794                  | 414      | 730             | 380      |  |                                |                                  |                           |
| JO#200014 | 198,5     | 34,6      | 939                  | 489      | 864             | 450      |  |                                |                                  |                           |
| JO#200016 | 198,5     | 39,4      | 1086                 | 566      | 997             | 519      |  |                                |                                  |                           |
| JO#200018 | 198,5     | 44,2      | 1222                 | 637      | 1129            | 588      |  |                                |                                  |                           |
| JO#200020 | 198,5     | 49,0      | 1370                 | 714      | 1258            | 655      |  |                                |                                  |                           |
| JO#200022 | 198,5     | 53,8      | 1507                 | 785      | 1388            | 723      |  |                                |                                  |                           |
| JO#200024 | 198,5     | 58,6      | 1644                 | 857      | 1514            | 789      |  |                                |                                  |                           |
| JO#200026 | 198,5     | 63,4      | 1781                 | 928      | 1638            | 853      |  |                                |                                  |                           |
| JO#200028 | 198,5     | 68,2      | 1822                 | 949      | 1763            | 919      |  |                                |                                  |                           |
| JO#200030 | 198,5     | 73,0      | 2048                 | 1067     | 1978            | 1031     |  |                                |                                  |                           |

**Standard convertible valves – Z1TLNR**

For more information on the choice of valves, see p. 310

|  | Code            | Description   | Finishes                          | *Price (€) |
|---|-----------------|---|-----------------------------------|------------|
|   | Z1TLNR#ANR12... | Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"                                     | Standard White<br>Colour C1/C2/C3 |            |
|   | Z1KITRAC#001    | 6-part connector KIT:<br>- 2x Z1RAC#R12CRO<br>- 2x Z1RAC#R14CRO<br>- 2x Z1AC#M03CRO                       | Glossy Chrome                     |            |
|   | Z1KITRAC#002    | 8-part connector KIT:<br>- 2x Z1RAC#R12CRO<br>- 2x Z1RAC#R14CRO<br>- 2x Z1RAC#M03CRO<br>- 2x Z1RAC#M01CRO | Glossy Chrome                     |            |

For versions with a Coloured finish other than white, see pages 314, 315, 316, 317, 318.