


## Electric version




Product code **SBSE#DX160STBARGW2**

SBSE#DX160ST	Article code specified in the price table
BARG	Colour/finish code specified in the Official TUBES COLOUR CHART
Rh	Flap

**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**SBSE - STEP-by-STEP - SINGLE Module ELECTRIC version**


Flap on Left	Flap on Right	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
					
SBSE#SX120	SBSE#DX120	120,0	31,7	400 W	
SBSE#SX140	SBSE#DX140	140,0	31,7	500 W	
SBSE#SX160	SBSE#DX160	160,0	31,7	550 W	
SBSE#SX180	SBSE#DX180	180,0	31,7	600 W	
SBSE#SX200	SBSE#DX200	200,0	31,7	700 W	

\*\* Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.

Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.

**STEP BY STEP accessories**

Hook code ZASBSG#AP...




Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED	Tubes Colours* cat. C0, C1, C2, C3	
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	


**ELECTRIC CONTROLS**

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.



 cod. ZRF007	Code	Description	Finishes	Price (€)
	ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	




DOUBLE module version



DIVERGENT Version



Electric version



**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**SBS2E - STEP-by-STEP - DOUBLE Module ELECTRIC version**

Flap on Left	Flap on Right	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
					
SBS2E#SX120	SBS2E#DX120	120,0	55,6	800 W	
SBS2E#SX140	SBS2E#DX140	140,0	55,6	1000 W	
SBS2E#SX160	SBS2E#DX160	160,0	55,6	1100 W	
SBS2E#SX180	SBS2E#DX180	180,0	55,6	1200 W	
SBS2E#SX200	SBS2E#DX200	200,0	55,6	1400 W	

\*\* Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.  
Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.


**SBS2E - STEP-by-STEP - DIVERGENT Module ELECTRIC version**

REVERSE FLAPS	H (cm)	L (cm)	Electrical Resistance (Watts)	Price ** (€)
				
SBS2EV#120	120,0	65,0	800 W	
SBS2EV#140	140,0	65,0	1000 W	
SBS2EV#160	160,0	65,0	1100 W	
SBS2EV#180	180,0	65,0	1200 W	
SBS2EV#200	200,0	65,0	1400 W	

\*\* Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey.  
Non-standard colors: All the MATT finishes in the Tubes color chart, with a 25% surcharge on the price of the standard colors.

**STEP BY STEP accessories**

Hook code ZASBSG#AP...




Towel rail code ZASBSG#PS...

Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED (*)	Tubes Colours* cat. C0, C1, C2, C3	
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC (*)	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	

(\*) NOT available for the DIVERGENT version

**ELECTRIC CONTROLS**

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.

 cod. ZRF007	Code	Description	Finishes	Price (€)
	ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECODESIGN. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	

# STEP-BY-STEP SINGLE HYDRAULIC AND MIXED (Hydraulic/Electric)


DESIGN radiator with hydraulic system in ALUMINUM

EN 442


HW




SINGLE module version





HYDRAULIC version



MIXED version (Hydraulic+Electric)




Electric version



**Standard Rear connector**  
available at no additional charge.  
Connection to the system via  
Remote Valve Assembly (GVR)  
supplied as an accessory.

5 cm centred interaxis



**External connector**  
traditional type supplied with an  
additional charge of €70.00

Connection to the system via  
traditional valves supplied as an  
accessory.

5 cm centred interaxis





Product code **SBS#SX180R05STBARGR12-SBS2#SX180R05STBARGR12**

SBS#SX180-SBS2#SX180 Article code specified in the price table  
 BARG Colour/finish code specified in the Official TUBES COLOUR CHART  
 R12 Connector code  
 LEFT Flap

**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**SBS / SBSM - STEP-by-STEP - SINGLE module HYDRAULIC / MIXED version**

HYDRAULIC version		MIXED version		H (cm)	L (cm)	Electrical* Resistance (Watts)	Heat output in Watts COLOURED version		Price ** Hydraulic Version	Price ** Mixed Version
Flap on Left	Flap on Right	Flap on Left	Flap on Right				ΔT. 50°C	ΔT. 30°C		
										
SBS#SX120	SBS#DX120	SBSM#SX120	SBSM#DX120	120,0	31,7	400 W	401	209		
SBS#SX140	SBS#DX140	SBSM#SX140	SBSM#DX140	140,0	31,7	500 W	476	251		
SBS#SX160	SBS#DX160	SBSM#SX160	SBSM#DX160	160,0	31,7	550 W	458	290		
SBS#SX180	SBS#DX180	SBSM#SX180	SBSM#DX180	180,0	31,7	600 W	614	324		
SBS#SX200	SBS#DX200	SBSM#SX200	SBSM#DX200	200,0	31,7	700 W	675	355		

\* Heating element for the MIXED version

\*\* Standard colour: code BARG - Wrinkled White; code 907R - Wrinkled Grey Aluminium; code GRAN - Wrinkled Charcoal Metallic Grey; code 804R Wrinkled Copper Brown; code AVOR Wrinkled Ivory.  
 NON-standard colours: All MATT finishes of Tubes colour chart with 25% additional charge on the standard finishes price.

**STEP BY STEP accessories**


Hook code ZASBSG#AP...



Towel rail code ZASBSG#PS...


Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED	Tubes Colours* cat. C0, C1, C2, C3	
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	

**Standard convertible valves – Z1TLNR**

	Code	Description	Finishes	Price (€)
	Z1TLNR#ANR12...	Paired Valve + Lockshield - Copper angle 1/2" and/or Multi-layer 1/2"	Standard White Colour C1/C2/C3	
	2 x Z1RAC#R12CRO	Paired 12 mm copper pipe unions	Glossy Chrome	
	ZRCF2#	Kit with pipe collars for Radiator	Glossy Chrome	


**Remote valve assembly – GVR**

For more information on the choice of valves, see p. 312


	Code	Description	Finishes	Price (€)
	GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	
	GVR#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	
	Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			




DOUBLE module version



HYDRAULIC version




MIXED version (Hydraulic+Electric)



## Rear connector R05


(DOUBLE connection at the rear as per the diagram below, supplied as standard without any additional charge, ONLY CONNECTION METHOD AVAILABLE in the DOUBLE Module version)



**DOUBLE Standard Rear Connector**  
available at no additional charge

Connection to the system via  
Remote Valve Assembly (GVR)  
supplied as an accessory.

## Electric version







Product code **SBS2#SX180R05STBARGR12W3-SBS2M#SX180R05STBARGR12W8**

SBS2#SX180-SBS2M#SX180 Article code specified in the price table  
 BARG Colour/finish code specified in the Official TUBES COLOUR CHART  
 R12 Connector code  
 LEFT Flap

**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**SBS2 / SBS2M - STEP-by-STEP - DOUBLE module HYDRAULIC / MIXED version**


HYDRAULIC version		MIXED version		H (cm)	L (cm)	Electrical* Resistance (Watts)	Heat output in Watts COLOURED version ΔT. 50°C ΔT. 30°C		Price ** Hydraulic Version	Price ** Mixed Version
Flap on Left	Flap on Right	Flap on Left	Flap on Right							
										
SBS2#SX120	SBS2#DX120	SBS2M#SX120	SBS2M#DX120	120,0	55,6	800 W	802	418		
SBS2#SX140	SBS2#DX140	SBS2M#SX140	SBS2M#DX140	140,0	55,6	1000 W	952	502		
SBS2#SX160	SBS2#DX160	SBS2M#SX160	SBS2M#DX160	160,0	55,6	1100 W	1096	580		
SBS2#SX180	SBS2#DX180	SBS2M#SX180	SBS2M#DX180	180,0	55,6	1200 W	1228	648		
SBS2#SX200	SBS2#DX200	SBS2M#SX200	SBS2M#DX200	200,0	55,6	1400 W	1350	710		

\* Heating element for the MIXED version

\*\* Standard colour: code BARG - Wrinkled White; code 907R - Wrinkled Grey Aluminium; code GRAN - Wrinkled Charcoal Metallic Grey; code 804R Wrinkled Copper Brown; code AVOR Wrinkled Ivory.  
 NON-standard colours: All MATT finishes of Tubes colour chart with 25% additional charge on the standard finishes price.

**STEP BY STEP accessories**

Hook code ZASBSG#AP...




Towel rail code ZASBSG#PS...


Code	Description	Finishes	Price (€)
ZASBS#AP ZASBS#PS...	COLORURED hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP COLOURED	Tubes Colours* cat. C0, C1, C2, C3	
ZASBSG#AP... ZASBSG#PS	GALVANIC hook for STEP-BY-STEP Towel rail L.32,5 x 4,0 cm for STEP-BY-STEP GALVANIC	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	

**Remote valve assembly – GVR**


For more information on the choice of valves, see p. 312

	Code	Description	Finishes	Price (€)
	GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	
	GVR#1... GVRTC#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	
	Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			






HYDRAULIC version



Rear connector R05

(DOUBLE connection at the rear as per the diagram below, supplied as standard without any additional charge, ONLY CONNECTION METHOD AVAILABLE in the DOUBLE Module version)




**DOUBLE Standard Rear Connector**  
available at no additional charge

Connection to the system via  
Remote Valve Assembly (GVR)  
supplied as an accessory.

Product code **SBS2V#180R05STBARGR12**SBS2V#180  
BARG  
R12Article code specified in the price table  
Colour/finish code specified in the Official TUBES COLOUR CHART  
Connector code**ADDITIONAL COLOUR CHARGES**

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

**SBS2V - STEP-by-STEP - DIVERGENT HYDRAULIC version**

DIVERGENT FLAPS	H (cm)	L (cm)	Heat output in Watts COLOURED version		*Price (€)
			ΔT. 50°C	ΔT. 30°C	
	SBS2V#120	120,0	65,0	802	418
	SBS2V#140	140,0	65,0	952	502
	SBS2V#160	160,0	65,0	1096	580
	SBS2V#180	180,0	65,0	1228	648
	SBS2V#200	200,0	65,0	1350	710

\* Standard colouring: code BARG - Wrinkled White; code 907R - Wrinkled Aluminium Grey; code GRAN - Metallic Wrinkled Anthracite Grey; code 804R - Wrinkled Copper Brown; code AVOR - Wrinkled Ivory.. Non-standard colours: all the MATT finishes on the Tubes colour table with 25% surcharge on the price of the standard colours.

**Accessori STEP BY STEP**


Hook code ZASBSG#AP...

Code	Description	Finishes	Price (€)
ZASBS#AP	COLORURED hook for STEP-BY-STEP	Tubes Colours* cat. C0, C1, C2, C3	
ZASBSG#AP...	GALVANIC hook for STEP-BY-STEP	Galvanic finish cat. G0, G1, G2, G3 and G5 (except brushed)	

**Remote valve assembly – GVR**

For more information on the choice of valves, see p. 312

For more information on the choice of valves see page 312

	Code	Description	Finishes	Price (€)
	GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
	GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
	GVR#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured Coloured	
	GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)				