


# TBT HORIZONTAL ELECTRIC


Electric DESIGN radiator made of painted and/or plated aluminium/brass




EL



ELECTRIC VERSION



ELECTRIC VERSION




## LAYOUT OF RECESSED PART


TBT#...OR1



TBT#...OR2



TBT#...OR3



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) - VAT and transportation not included.

#### Product code **TBT#120OR2ELECRO**

TBT#120OR2	Article code specified in the price table
ELE	Electric system code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

#### ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

#### RECESSED PART

INCTBT#120OR2	Article code listed in the price list
---------------	---------------------------------------

**PRICE OF EXTERNAL PART ONLY (external TBT)** It includes the external TBT and everything required for installing the recessed part (see below).

	COLOURED version	L (cm)	Watt Electric Version	Coloured Version (€)	ChromedVersion	Chromed Version (€)
<b>SINGLE</b>	TBTC#120OR1ELE	120,0	53 W		TBT#120OR1ELE	
	TBTC#150OR1ELE	150,0	68 W		TBT#150OR1ELE	
	TBTC#180OR1ELE	180,0	83 W		TBT#180OR1ELE	
	TBTC#200OR1ELE	200,0	93 W		TBT#200OR1ELE	
<b>DOUBLE</b>	TBTC#120OR2ELE	120,0	106 W		TBT#120OR2ELE	
	TBTC#150OR2ELE	150,0	136 W		TBT#150OR2ELE	
	TBTC#180OR2ELE	180,0	166 W		TBT#180OR2ELE	
	TBTC#200OR2ELE	200,0	186 W		TBT#200OR2ELE	
<b>TRIPLE</b>	TBTC#120OR3ELE	120,0	159 W		TBT#120OR3ELE	
	TBTC#150OR3ELE	150,0	204 W		TBT#150OR3ELE	
	TBTC#180OR3ELE	180,0	249 W		TBT#180OR3ELE	
	TBTC#200OR3ELE	200,0	279 W		TBT#200OR3ELE	

The above prices refer to the standard White color and to all colors of categories C1 / C2 and C3.

GRCR colour is not available.


#### PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the support for the external part of the TBT

Model	ELECTRIC version
<b>SINGLE</b>	INCTBT#1201ELE
	INCTBT#1501ELE
	INCTBT#1801ELE
	INCTBT#2001ELE
<b>DOUBLE</b>	INCTBT#1202ELE
	INCTBT#1502ELE
	INCTBT#1802ELE
	INCTBT#2002ELE
<b>TRIPLE</b>	INCTBT#1203ELE
	INCTBT#1503ELE
	INCTBT#1803ELE
	INCTBT#2003ELE

#### ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.

 cod. ZRF007	Code	Description	Finishes	Price (€)
	ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	

# TBT VERTICAL ELECTRIC



Electric DESIGN radiator made of painted and/or plated aluminium/brass




EL





## ELECTRIC VERSION



## ELECTRIC VERSION



## LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) - VAT and transportation not included.

#### Product code **TBT#120VE2ELECRO**

TBT#120VE2	Article code specified in the price table
ELE	Electric system code
CRO	Colour/finish code specified in the Official TUBES COLOUR CHART

#### ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

#### RECESSED PART

INCTBT#120VE2E	Article code listed in the price list
----------------	---------------------------------------

#### PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	COLOURED version	H (cm)	Watt Electric Version	Coloured Version (€)	ChromedVersion	Chromed Version (€)
SINGLE	TBTC#120VE1ELE	120,0	53 W		TBT#120VE1ELE	
	TBTC#150VE1ELE	150,0	68 W		TBT#150VE1ELE	
	TBTC#180VE1ELE	180,0	83 W		TBT#180VE1ELE	
	TBTC#200VE1ELE	200,0	93 W		TBT#200VE1ELE	
DOUBLE	TBTC#120VE2ELE	120,0	106 W		TBT#120VE2ELE	
	TBTC#150VE2ELE	150,0	136 W		TBT#150VE2ELE	
	TBTC#180VE2ELE	180,0	166 W		TBT#180VE2ELE	
	TBTC#200VE2ELE	200,0	186 W		TBT#200VE2ELE	
TRIPLE	TBTC#120VE3ELE	120,0	159 W		TBT#120VE3ELE	
	TBTC#150VE3ELE	150,0	204 W		TBT#150VE3ELE	
	TBTC#180VE3ELE	180,0	249 W		TBT#180VE3ELE	
	TBTC#200VE3ELE	200,0	279 W		TBT#200VE3ELE	

The above prices refer to the standard White color and to all colors of categories C1 / C2 and C3.

GRCR colour is not available.


#### PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the support for the external part of the TBT


Model	ELECTRIC version
SINGLE	INCTBT#1201ELE
	INCTBT#1501ELE
	INCTBT#1801ELE
	INCTBT#2001ELE
DOUBLE	INCTBT#1202ELE
	INCTBT#1502ELE
	INCTBT#1802ELE
	INCTBT#2002ELE
TRIPLE	INCTBT#1203ELE
	INCTBT#1503ELE
	INCTBT#1803ELE
	INCTBT#2003ELE

#### ELECTRIC CONTROLS


Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.

 cod. ZRF007	Code	Description	Finishes	Price (€)
	ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECOdesign. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	

Price per radiator/Towel warmer in White Standard colour code 9010 / Chrome-plated where specified – VAT and transport excluded.





#### VERSION WITH EXTERNAL CABLE




Direct electrical plug not supplied

#### VERSION WITH RECESSED CABLE



TBT recess supplied separately



Remote switch not supplied

Product code **TBTC#150 BA1 ELE 9010**

TBTC#150 BA1 Article code specified in the price table  
9010 Colour/finish code specified in the Official TUBES COLOUR CHART  
ELE Version

#### ADDITIONAL COLOUR CHARGES

Finishes and Anodizing see page. 5 or the colour table provided at the end of this price list.

#### Electric FLOOR version with RECESSED CABLE

COLOURED version	H (cm)	L (cm)	Watt Electric Version	Coloured Version (€)	ChromedVersion	Chromed Version (€)
TBTC#150BA1ELE	150,0	14,5	68		TBT#150BA1ELE	
TBTC#180BA1ELE	180,0	14,5	83		TBT#180BA1ELE	

#### Electric FLOOR version with EXTERNAL CABLE

COLOURED version	H (cm)	L (cm)	Watt Electric Version	Coloured Version (€)	ChromedVersion	Chromed Version (€)
TBTC#150BA1ELI	150,0	14,5	68		TBT#150BA1ELI	
TBTC#180BA1ELI	180,0	14,5	83		TBT#180BA1ELI	

The above prices refer to the Standard White colour and to all colours categories C1/C2 and C3.  
Colour not available: GRGR

#### RECESSED PART (TBT recessed cable)

It includes the floor recessed part for connection to the electrical system and the support of the external part of the TBT.

Model	ELECTRIC VERSION WITH RECESSED CABLE
SINGLE	INCTBTBA#ELI

#### ELECTRIC CONTROLS

Electric control is via the use of the ZRF007 thermostat which regulates the room temperature by interacting with up to a maximum of 5 radiators.


	Code	Description	Finishes	Price (€)
 cod. ZRF007	ZRF007	Radio frequency Room Thermostat Kit with weekly programmer for wall mounting, wireless and certified ECODESIGN. The Kit includes the wall box radio frequency receiver which must strictly be installed.	White	

# TBT HORIZONTAL HYDRAULIC AND MIXED

Horizontal radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured

ENI 442


HW MX




TBT#...OR1



TBT#...OR2




TBT#...OR3




## MIXED VERSION

Right side




Right side




## HYDRAULIC VERSION

Right side




Right side




## CONNECTION TO THE HYDRAULIC SYSTEM

Connection to the hydraulic and/or electrical system takes place using TBT Recessed Assembly ordered separately but compulsory.



## LAYOUT OF RECESSED PART



The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) Remote connection valves (GVR) - VAT and transportation not included.

#### Product code **TBT#120OR2IDRCRO**

TBT#120 OR2 Article code shown in the price table below  
 IDR Version code, type of operation IDR=Hydraulic  
 CRO Colour code to verify in the TUBES COLOUR CHART

#### PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

	HYDRAULIC VERSION	L (cm)	COLOURED version ΔT. 50°C ΔT. 30°C		CHROMED version ΔT. 50°C ΔT. 30°C		COLOURED version (€)	CHROMED version (€)	MIXED VERSION	Watt MIXED version	COLOURED version (€)	CHROMED version (€)
SINGLE	TBTC#120OR1IDR	120,0	127	70	76	39			TBTC#120OR1MIX	53		
	TBTC#150OR1IDR	150,0	151	83	95	49			TBTC#150OR1MIX	68		
	TBTC#180OR1IDR	180,0	186	102	114	58			TBTC#180OR1MIX	83		
	TBTC#200OR1IDR	200,0	199	110	127	65			TBTC#200OR1MIX	93		
DOUBLE	TBTC#120OR2IDR	120,0	254	140	152	78			TBTC#120OR2MIX	106		
	TBTC#150OR2IDR	150,0	302	166	190	97			TBTC#150OR2MIX	136		
	TBTC#180OR2IDR	180,0	372	203	228	117			TBTC#180OR2MIX	166		
	TBTC#200OR2IDR	200,0	398	219	254	130			TBTC#200OR2MIX	186		
TRIPLE	TBTC#120OR3IDR	120,0	381	210	228	117			TBTC#120OR3MIX	159		
	TBTC#150OR3IDR	150,0	453	249	285	146			TBTC#150OR3MIX	204		
	TBTC#180OR3IDR	180,0	558	305	342	175			TBTC#180OR3MIX	249		
	TBTC#200OR3IDR	200,0	597	329	381	195			TBTC#200OR3MIX	279		

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.  
 Colours not available: GRGR


#### PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

Model	HYDRAULIC VERSION	MIXED VER- SION
SINGLE	INCTBT#1201IDR	INCTBT#1201MIX
	INCTBT#1501IDR	INCTBT#1501MIX
	INCTBT#1801IDR	INCTBT#1801MIX
	INCTBT#2001IDR	INCTBT#2001MIX
DOUBLE	INCTBT#1202IDR	INCTBT#1202MIX
	INCTBT#1502IDR	INCTBT#1502MIX
	INCTBT#1802IDR	INCTBT#1802MIX
	INCTBT#2002IDR	INCTBT#2002MIX
TRIPLE	INCTBT#1203IDR	INCTBT#1203MIX
	INCTBT#1503IDR	INCTBT#1503MIX
	INCTBT#1803IDR	INCTBT#1803MIX
	INCTBT#2003IDR	INCTBT#2003MIX

#### ELECTRIC CONTROLS

The electrical regulation is performed through the use of the following thermostats which allow the regulation of the temperature in the environment by interacting with a maximum of 5 radiators.




cod. ZRF007

Model	Price (€)
ZRF007	

#### Remote valve assembly – GVR

For more information on the choice of valves, see p. 312





Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
GVR#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured Coloured	
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			

# TBT VERTICAL HYDRAULIC AND MIXED

Horizontal radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured


EN 442

HW MX




## HYDRAULIC VERSION

UPPER side




LOWER side




## MIXED VERSION

UPPER side




LOWER side




## CONNECTION TO THE HYDRAULIC SYSTEM

Connection to the hydraulic and/or electrical system takes place using TBT Recessed Assembly ordered separately but compulsory.



## LAYOUT OF RECESSED PART





The complete price of the desired TBT is calculated by adding the price of the external part (external TBT) to the corresponding recessed part (recessed TBT) Remote connection valves (GVR) - VAT and transportation not included.

#### Product code **TBTC#120VE1IDR9010-TBT#120VE1IDRCRO**

TBTC#120VE1-TBT#120VE1 Article code specified in the price table  
9010/CRO Colour/finish code specified in the Official TUBES COLOUR CHART  
IDR Version

#### PRICE OF EXTERNAL PART ONLY (external TBT) It includes the external TBT and everything required for installing the recessed part (see below).

HYDRAULIC VERSION	H (cm)	COLOURED version ΔT. 50°C ΔT. 30°C		CHROMED version ΔT. 50°C ΔT. 30°C		COLOURED version (€)	CHROMED version (€)	MIXED VERSION	Watt ELECTRIC version	COLOURED version (€)	CHROMED version (€)
SINGLE	TBTC#120VE1IDR	120,0	115	63	71	38		TBTC#120VE1MIX	53		
	TBTC#150VE1IDR	150,0	149	80	88	47		TBTC#150VE1MIX	68		
	TBTC#180VE1IDR	180,0	172	92	106	57		TBTC#180VE1MIX	83		
	TBTC#200VE1IDR	200,0	193	103	118	63		TBTC#200VE1MIX	93		
DOUBLE	TBTC#120VE2IDR	120,0	230	125	142	76		TBTC#120VE2MIX	106		
	TBTC#150VE2IDR	150,0	298	160	176	94		TBTC#150VE2MIX	136		
	TBTC#180VE2IDR	180,0	344	184	212	113		TBTC#180VE2MIX	166		
	TBTC#200VE2IDR	200,0	386	207	236	126		TBTC#200VE2MIX	186		
TRIPLE	TBTC#120VE3IDR	120,0	345	188	213	114		TBTC#120VE3MIX	159		
	TBTC#150VE3IDR	150,0	447	240	264	141		TBTC#150VE3MIX	204		
	TBTC#180VE3IDR	180,0	516	276	318	170		TBTC#180VE3MIX	279		
	TBTC#200VE3IDR	200,0	579	310	354	189		TBTC#200VE3MIX	279		

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.  
Colours not available: GRGR


#### PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

HYDRAULIC VERSION		MIXED VER- SION	
Model			
SINGLE	INCTBT#1201IDR	INCTBT#1201MIX	
	INCTBT#1501IDR	INCTBT#1501MIX	
	INCTBT#1801IDR	INCTBT#1801MIX	
	INCTBT#2001IDR	INCTBT#2001MIX	
DOUBLE	INCTBT#1202IDR	INCTBT#1202MIX	
	INCTBT#1502IDR	INCTBT#1502MIX	
	INCTBT#1802IDR	INCTBT#1802MIX	
	INCTBT#2002IDR	INCTBT#2002MIX	
TRIPLE	INCTBT#1203IDR	INCTBT#1203MIX	
	INCTBT#1503IDR	INCTBT#1503MIX	
	INCTBT#1803IDR	INCTBT#1803MIX	
	INCTBT#2003IDR	INCTBT#2003MIX	

#### ELECTRIC CONTROLS

The electrical regulation is performed through the use of the following thermostats which allow the regulation of the temperature in the environment by interacting with a maximum of 5 radiators.




cod. ZRF007

Model	Price (€)
ZRF007	

#### Remote valve assembly – GVR

For more information on the choice of valves, see p. 312




Code	Description	Finishes	Price (€)
GVR#1	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Chromed Plated	
GVRTG#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
GVR#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection	Coloured Coloured	
GVRTC#1...	RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*		
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			

# TBT VERTICAL FIXED BASE HYDRAULIC


Horizontal radiator composed of an internal aluminium core and external part in brass - 7 cm diameter, chrome and coloured  
Price for Radiator/Towel warmer in Standard White/Chrome color (where specified) and standard connections - VAT and transport excluded.




HW



## HYDRAULIC VERSION



TBT recess supplied separately



Product code **TBTC#180BA1IDR9010-TBT#180BA1IDRCRO**

TBTC#180BA1-TBT#180BA1 Article code specified in the price table

9010/CRO

Colour/finish code specified in the Official TUBES COLOUR CHART

IDR

Version

## HYDRAULIC Floor version

Model	H (cm)	L (cm)	Heat output in Watts				Coloured Version (€)	Galvanic Version (€)
			COLOURED version		CHROMED version			
			ΔT. 50°C	ΔT. 30°C	ΔT. 50°C	ΔT. 30°C		
TBTC#150BA1IDR	150,0	14,5	88	47	88	47		
TBTC#180BA1IDR	180,0	14,5	106	57	106	57		

The above prices refer to standard White colour and all the colours in categories C1/C2 and C3.

Colours not available: GRGR

## PRICE OF RECESSED PART ONLY (recessed TBT)

It includes the wall recessed part for connection to the Remote Valve Assembly and the support for the external part of the TBT

Model	HYDRAULIC VERSION
SINGLE	INCTBTBA#IDR

## Remote valve assembly – GVR

For more information on the choice of valves, see p. 312



Code	Description	Finishes	Price (€)
GVR#1 GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Chromed Plated	
GVR#1... GVRTG#1...	RECESSED Valve that can be fitted with a thermostat and Lockshield assembly for REMOTE connection RECESSED thermostatic valve and Lockshield assembly for REMOTE connection*	Coloured Coloured	
Plated finishes: See table of Tubes special finishes Colored Finishes: see categories C0, C1, C2 and C3 of the Tubes color chart * The price does not include the cost of the thermostatic head (see page 320)			